



TÜM ODALARA
(Genel Sekreterlik)



TOBB
TÜRKİYE
ODALAR VE BORSALAR
BİRLİĞİ

Tarih : 23.02.2021
Sayı : 34221550-100- 1830
Konu : Ekonomik Tarife Sorunları Grubu (ETSG)
Sektör Duyurusu

İlgi : Ticaret Bakanlığı'ndan alınan 16.02.2021 tarihli elektronik posta.

Ticaret Bakanlığı'ndan alınan ilgede kayıtlı elektronik postada, sanayicimizin ihtiyaç duyduğu hammadde ve yarı mamul niteliğindeki sanayi ürünlerine ilişkin her yıl 1 Ocak ve 1 Temmuz tarihlerinde yürürlüğe girecek şekilde üretimi olmayan ürünlerde askıya alma, üretimi tüketimi karşılamayan ürünlerde ise tarife kontenjanı başvurularının, ülkemizin temsilcilerinin de yer aldığı bir toplantıda Avrupa Komisyonu tarafından müzakere edilerek karara bağlandığı belirtilmiştir.

Elektronik postada, Ek'de bir örneği sunulan ve halihazırda gümrük vergisi askıya alınmış olan eşya listesi paylaşılmıştır. Ayrıca, Avrupa Birliği ithalat değerinin 15.000 avro'nun altına düştüğü için Komisyon tarafından 2022 Ocak döneminde listeden çıkartılması öngörülen ve listede kırmızı ile renklendirilen eşyaya yönelik olarak, 2022 yılından sonra da askıya alma uygulamasının devam etmesinin talep edilmesi durumunda, ilgili firmaların en geç **01/03/2021 tarihine kadar** Ticaret Bakanlığına temdit (uzatma) başvurusunda bulunması gerektiği açıklanmıştır.

Elektronik postada devamla, konu hakkında bilgi, tarih ve formlara <https://www.ticaret.gov.tr/ithalat/askiya-alma-ve-tarife-kontenjani/askiya-alma-sistemi> adresinden ulaşılabildiği ve askıya alma sistemine ilişkin detaylı bilgi için ise 2021/18 sayılı Askıya Alma Sistemine İlişkin Tebliğin (İthalat: 2021/18) incelenebileceği vurgulanmıştır.

Konu hakkında ilgili kişilerin iletişim bilgileri aşağıdaki gibidir:

Kimyasallar, Maden-Metal ve Tekstil Hammaddeleri:

| | | | |
|------------------|-------|--------------------|----------------------------|
| Muhammet HARTAVİ | Uzman | T: 0 312 204 95 84 | E: hartavim@ticaret.gov.tr |
| Burak AVCI | Uzman | T: 0 312 204 91 89 | E: avcib@ticaret.gov.tr |

Elektrik-Elektronik, Otomotiv ve Makine Ara Malları:

| | | | |
|-------------------|----------|--------------------|--------------------------|
| Fundagül BACI | Uzman | T: 0 312 204 91 46 | E: bacif@ticaret.gov.tr |
| Fatma Hilal YÜNEY | Mühendis | T: 0 312 204 92 96 | E: yuneyf@ticaret.gov.tr |

Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.



Evrakı Doğrulamak İçin : <http://belgedogrula.tobb.org.tr/dogrula.aspx?V=BENN3KCMT>
Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA
Tel: +90 (312) 218 20 00 (PBX) • Faks: +90 (312) 219 40 90 - 91 - 92
E-Posta: info@tobb.org.tr • Web: www.tobb.org.tr • KEP: tobb@hs02.kep.tr
Ayrıntılı bilgi için: Kubilay ŞİMŞEK Tel: 0312 218 22 34
E-Posta: kubilay.simsek@tobb.org.tr

Birliğimizde
ISO 9001:2015
Kalite Yönetim
Sistemi
uygulanmaktadır



Bilgilerini ve Odanız üyesi ilgili firmalara duyuru yapılmasını önemle rica ederim.

Saygılarımla,

e-imza

Mustafa SARAÇÖZ
Genel Sekreter

Not: Yazı eki ayrıca Odanızın elektronik posta adresine gönderilecektir.

EK:Eşya listesi



Evrakı Doğrulamak İçin : <http://belgedogrula.tobb.org.tr/dogrula.aspx?V=BENN3KCMT>
Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA
Tel: +90 (312) 218 20 00 (PBX) • Faks: +90 (312) 219 40 90 - 91 - 92
E-Posta: info@tobb.org.tr • Web: www.tobb.org.tr • KEP: tobb@hs02.kep.tr
Ayrıntılı bilgi için: Kubilay ŞİMŞEK Tel: 0312 218 22 34
E-Posta: kubilay.simsek@tobb.org.tr

Birliğimizde
ISO 9001:2015
Kalite Yönetim
Sistemi
uygulanmaktadır

Prolongation exercise 2022

It is necessary to amend the end date for the mandatory review for certain amount of products currently listed in the Annex to Regulation (EU) No 1387/2013 in order to allow duty-free imports beyond 31.12.2021.

The autonomous Common Customs Tariff duty suspensions for those products have been reviewed and new revised dates should be set for their next mandatory review

Please find attached an excel table listing suspension measures subject to the prolongation exercise for cycle 2022-01.

We note the following:

The items indicated by string "≥15000/green" in column "Status" will be prolonged automatically until 31.12.2026 except in cases where: the negotiations for the cycle 2021-07 led to another conclusion, or possible economic objections submitted within the upcoming cycle 2022-01

In addition, pending on the opinion of DG AGRI, within the deadline of 26th of April 2021, certain suspension measures (e.g. Palm oil) can be prolonged for one or more years,

The cases marked as being "<15000/red" will expire by the end of 2021, unless a request for prolongation will be issued (pursuant to Commission communication OJ C 363, 13.12.2011, p. 6.) in due time by Member State authorities acting on behalf of EU producers. In such a case one year prolongation (until the end of 2022) will be considered,

The cases marked with "*UK susp._deletion or EU27 producer*" indicate suspensions where UK was the only applicant, but the suspension was used sufficiently by EU27. The suspension will be deleted by the end of 2021, unless a request for prolongation will be issued (pursuant to Commission communication OJ C 363, 13.12.2011, p. 6.) in due time by Member State authorities acting on behalf of EU producers.

In the absence of any comments by your side until the 26th of April 2021 the aforementioned procedure is deemed to be agreed.

TXDA4/179-01-48

Prolongation exercise SUSP 2022-01

version 08.02.2021

>> Non-official document / Not legally binding / Only for auxiliary purposes <<

Any views expressed are the preliminary views of the Commission services and may not in any circumstances be regarded as stating an official position of the Commission.

| Reference mail | TARIC code(s) | Product description | Status | Proficient user (UK susp) |
|-----------------------------|--|---|------------------------------------|---------------------------|
| 1617/4/1989, 942/06, 943/06 | 0711590011 | #Mushrooms, excluding mushrooms of the genera Agaricus, Calocybe, Clitocybe, Lepista, Leucoagaricus, Leucopaxillus, Lyophyllum and Tricholoma, provisionally preserved in brine, in sulphur water, or in other preservative solutions, but unsuitable in that state for immediate consumption, for the food-canning industry# | ≥15000/green | |
| 1/1/1999 | 1511901920, 1511909120, 1513111020, 1513111020 | #Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of:### # industrial monocarboxylic fatty acids of subheading 3823 19 10, # methyl esters of fatty acids of heading 2915 or 2916, # fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, # fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, # stearic acid of subheading 3823 11 00, # goods of heading 3401, or # fatty acids with high purity of heading 2915 # | ≥15000/green | |
| 833/06 | 1517909910 | #Vegetable oil, refined, containing by weight 25 % or more but not more than 50 % arachidonic acid or 12 % or more but not more than 65 % docosahexaenoic acid and standardized with high oleic sunflower oil (HOSO)# | ≥15000/green | |
| 974/06 | 2009897920 | #Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, in immediate packings of a content of 50 litres or more# | <15000/red | |
| 265298/2011 | 2009897985 | #Acai berry juice concentrate:### # of the species Euterpe oleracea, # frozen, # not sweetened, # not in powder form, # of a Brix value of 23 or more but not more than 32, # ###in immediate packings of a content of 10 kg or more# | ≥15000/green | |
| 948/06 | 2009899996 | #Coconut water### # unfermented, # not containing added spirit or sugar, and # in immediate packing of a content of 20 litres or more # | ≥15000/green | |
| 295926/2011 | 2106909245 | #Preparation containing by weight### # more than 30 % but not more than 35 % liquorice extract, # more than 65 % but not more than 70 % triacrylin, # ###standardised by weight to 3 % or more but not more than 4 % glabridin# | <15000/red | |
| 254871/2011 | 2519901010 | #Fused magnesia with a purity by weight of 94 % or more# | ≥15000/green | |
| 1003637/2011 | 2811198020 | #Hydrogen iodide [CAS RN 10034-85-2]# | UK susp_ deletion or EU27 producer | DE |
| 1010686/2011 | 2819909010 | #Dichromium trioxide [CAS RN 1308-38-9] for use in metallurgy# | ≥15000/green | |
| 0218/00/1998 | 2825300000 | #Vanadium oxides and hydroxides# | ≥15000/green | |
| 1242450/2016 | 2825700010 | #Molybdenum trioxide [CAS RN 1313-27-5]# | ≥15000/green | |
| 5559884/2016 | 2825700020 | #Molybdic Acid [CAS RN 7782-91-4]# | ≥15000/green | |
| 3436/06 | 2827398520 | #Antimony pentachloride [CAS RN 7647-18-9] of a purity by weight of 99 % or more# | ≥15000/green | |
| 631004/2010 | 2833298030 | #Zirconium sulphate [CAS RN 14644-61-2]# | UK susp_ deletion or EU27 producer | IT, NL |
| 829/06 | 2837200010 | #Tetrasodium hexacyanoferrate (III) [CAS RN 13601-19-9]# | ≥15000/green | |
| 1242523/2016 | 2841700040 | #Diammonium dimolybdate [CAS RN 27546-07-2]# | ≥15000/green | |
| 1345815/2016 | 2842100040 | #Aluminosilicate [CAS RN 1318-02-1] with a zeolite structure of Aluminophosphate-eighteen (AEI) for use in the manufacture of catalytic preparations# | UK susp_ deletion or EU27 producer | NL |
| 3427/06 | 2845909010 | #Helium-3 [CAS RN 14762-55-1]# | ≥15000/green | |
| 3426/06 | 2845909030 | # [13 C]Carbon monoxide [CAS RN 1641-69-6]# | ≥15000/green | |
| 964050/2011 | 2850002040 | #Germanium tetrahydride [CAS RN 7782-65-2]# | ≥15000/green | |
| 978318/2011 | 2903393910 | #Perfluoro[4-methyl-2-pentene] [CAS RN 84650-68-0]# | <15000/red | |
| 808/06 | 2903393930 | #Hexafluoropropene [CAS RN 116-15-4]# | UK susp_ deletion or EU27 producer | DE, FR, IT |
| 219178/2011 | 2903779010 | #Chlorotrifluoroethylene [CAS RN 79-38-9]# | ≥15000/green | |
| 1338499/2016 | 2905110020, 2905190035 | #Methyl methanesulphonate [CAS RN 66-27-3]# | <15000/red | |
| 5450710/2016 | 2905220020 | #3,7-Dimethyloct-6-en-1-ol [CAS RN 106-22-9]# | ≥15000/green | |
| 265404/2011 | 2905399530 | #2,4,7,9-Tetramethyl-4,7-decanediol [CAS RN 17913-76-7]# | ≥15000/green | |
| 237127/2011 | 2907159010 | #2-Naphthol [CAS RN 135-19-3]# | ≥15000/green | |
| 1003563/2011 | 2907290045 | #2-Methylhydroquinone [CAS RN 95-71-6]# | UK susp_ deletion or EU27 producer | BE, IT |
| 878/06 | 2909199050 | #3-Ethoxy-perfluoro-2-methylhexane [CAS RN 297730-93-9]# | ≥15000/green | |
| 1004860/2011 | 2909200010 | #8-Methoxycedrane [CAS RN 19870-74-7]# | UK susp_ deletion or EU27 producer | DE, ES, FR, NL |
| 960804/2011 | 2909303820 | #1,1'-Propane-2,2-diybis[3,5-dibromo-4-(2,3-dibromopropoxy)benzene] [CAS RN 21850-44-2]# | ≥15000/green | |
| 5531326/2016 | 2909390015 | #[(2,2-dimethylbut-3-yn-1-yl)oxy]methylbenzene [CAS RN 1092536-54-3]### # | ≥15000/green | |
| 5450733/2016 | 2909390025 | #1,2-Diphenoxyethane [CAS RN 104-66-5] in the form of powder or as an aqueous dispersion containing by weight 30 % or more but not more than 60 % of 1,2-diphenoxyethane# | ≥15000/green | |
| 1248461/2016 | 2909390070 | # O, O, O -1,3,5-trimethylresorcinol [CAS RN 621-23-8]# | ≥15000/green | |
| 1338664/2016 | 2909390080 | #Oxylfluorfen (ISO) [CAS RN 42874-03-3] with a purity by weight of 97 % or more# | UK susp_ deletion or EU27 producer | ES, PT, FR |
| 3044796/2015 | 2909498010 | #1-Propoxypropan-2-ol [CAS RN 1569-01-3]# | UK susp_ deletion or EU27 producer | NL, BE |
| 1145/2007 | 2910900080 | #Allyl glycidyl ether [CAS RN 106-92-3]# | ≥15000/green | |
| 5450756/2016 | 2912190010 | #Undecanal [CAS RN 112-44-7]# | ≥15000/green | |
| 1174482/2016 | 2912290015 | #2,6,6-Trimethylcyclohexenecarbaldehyde (alpha-beta isomers mixture) [CAS RN 52844-21-0]# | ≥15000/green | |
| 1174458/2016 | 2912290025 | #Mixture of isomers consisting of:### # 85 (± 10) % by weight of 4-isobutyl-2-methylbenzaldehyde [CAS RN 73206-60-7] # 15 (± 10) % by weight of 2-isobutyl-4-methylbenzaldehyde [CAS RN 68102-28-3] # | <15000/red | |
| 1008909/2011 | 2914290050 | # trans -β-Damascone [CAS RN 23726-91-2]# | UK susp_ deletion or EU27 producer | DE, ES, FR, NL |
| 1003548/2011 | 2914500040 | #4-(4-Hydroxyphenyl)butan-2-one [CAS RN 5471-51-2]# | UK susp_ deletion or EU27 producer | DE, ES, FR, NL |
| 1338600/2016 | 2914500085 | #4,4'-Dihydroxybenzophenone [CAS RN 611-99-4]# | <15000/red | |
| 1003573/2011 | 2914698040 | # p -Benzoquinone [CAS RN 106-51-4]# | UK susp_ deletion or EU27 producer | BE, DE, IT |
| 124160/2010 | 2914790060 | #4'- tert -Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone [CAS RN 81-14-1]# | UK susp_ deletion or EU27 producer | DE, ES, NL |
| 1338555/2016 | 2914790065 | #1,4-bis(4-Fluorobenzoyl) Benzene [CAS RN 68418-51-9]# | <15000/red | |
| 249160/2011 | 2914790070 | #4-Chloro-4'-hydroxybenzophenone [CAS RN 42019-78-3]# | ≥15000/green | |
| 1338756/2016 | 2914790075 | #4,4'-Diffuorobenzophenone [CAS RN 345-92-6]# | <15000/red | |
| 5651680/2016 | 2915120010 | #Aqueous solution containing by weight 60 % or more but not more than 84 % of caesium formate [CAS RN 3495-36-1]# | <15000/red | |
| 314777/2011 | 2915390075 | #isobornyl acetate [CAS RN 125-12-2]# | UK susp_ deletion or EU27 producer | DE, ES, FR, NL |
| 330666/2011 | 2915390080 | #1-Phenylethyl acetate [CAS RN 93-92-5]# | UK susp_ deletion or EU27 producer | DE, ES, FR, NL |
| 238300/2011 | 2915907080 | #Ethyl difluoroacetate [CAS RN 454-31-9]# | <15000/red | |
| 1279605/2016 | 2916200015 | #Transfluthrin (ISO) [CAS RN 118712-89-3]# | ≥15000/green | |
| 1003616/2011 | 2916310010 | #Benzyl benzoate [CAS RN 120-51-4]# | UK susp_ deletion or EU27 producer | DE, ES, NL |
| 225249/2011 | 2916399015 | #2-Chloro-5-nitrobenzoic acid [CAS RN 2516-96-3]# | ≥15000/green | |
| 117276/2010 | 2916399025 | #2-Methyl-3-(4-Fluorophenyl)propionyl chloride [CAS RN 1017183-70-8]# | ≥15000/green | |
| 5552271/2016 | 2916399033 | #Methyl 4'-(bromomethyl)biphenyl-2-carboxylate [CAS RN 114772-38-2]# | <15000/red | |
| 5450776/2016 | 2916399073 | #(2,4-Dichlorophenyl)acetyl chloride [CAS RN 53056-20-5]# | ≥15000/green | |
| 241178/2011 | 2918290060 | #Methyl-, ethyl-, propyl- or butyl esters of 4-hydroxybenzoic acid or their sodium salts [CAS RN 35285-68-8, 99-76-3, 5026-62-0, 94-26-8, 94-13-3, 35285-69-9, 120-47-8, 36457-20-2 or 4247-02-3]# | ≥15000/green | |
| 1336330/2016 | 2918300080 | #Methyl benzoylformate [CAS RN 15206-55-0]# | ≥15000/green | |
| 1242672/2016 | 2918999023 | #1,8-Dihydroxyanthraquinone-3-carboxylic acid [CAS RN 478-43-3]# | <15000/red | |
| 964063/2011 | 2918999080 | #Sodium 5-(2-chloro-4-(trifluoromethyl)phenoxy)-2-nitrobenzoate [CAS RN 62476-59-9]# | <15000/red | |
| 964084/2011 | 2919900050 | #Triethyl phosphite [CAS RN 78-40-0]# | ≥15000/green | |
| 971/06 | 2920240000 | #Triethyl phosphite [CAS RN 122-52-1]# | UK susp_ deletion or EU27 producer | DE, FR, IT |
| 1729693/2016 | 2920290060 | #Fosetyl-sodium [CAS RN 39148-16-8] in form of an aqueous solution with a content by weight of fosetyl-sodium of 35 % or more but not more than 45 % for use in the manufacture of pesticides# | <15000/red | |
| 1362862/2016 | 2920901080 | #Sodium 2-[2-(2-tridecoxyethoxy)ethoxy]ethyl sulphate [CAS RN 25446-78-0] in the form of a liquid paste with a content by weight in water of 62 % or more but not more than 65 % # | <15000/red | |
| 1362726/2016 | 2921199945 | #2-Chloro- N -(2-chloroethyl)ethanamine hydrochloride [CAS RN 821-48-7]# | ≥15000/green | |

| | | | | |
|--|---------------|------------|---|--------------|
| DE NL | 265443/2011 | 2921290050 | # N - [3-Dimethylamino]propyl- N, N-dimethylpropane-1,3-diamine [CAS RN 6711-48-4]# | <25000/green |
| DE NL | 160968/2010 | 2921309930 | #1,3-Cyclohexanedimethanamine [CAS RN 2579-20-6]# | <15000/red |
| DE NL | 3342706 | 2921519040 | # P - Phenylethylamine [CAS RN 106-50-3]# | <15000/green |
| DE NL | 5512179/2016 | 2921900400 | # P - (E)-N-(1-aminopropan-2-yl)propan-1-amine [CAS RN 106-50-3]# | <15000/green |
| DE | 3962007/2015 | 2922498530 | Aqueous solution containing 40 % by weight or more of sodium methacrylate CAS | <15000/green |
| | 1174545/2016 | 2922498535 | #2-(3-Amino-4-chlorobenzoyl)acetic acid [CAS RN 118-04-7]# | <15000/red |
| DE FR, NL | 1249517/2016 | 2922900055 | #1-Tributylammonium bromide [CAS RN 1643-19-2]# | <15000/red |
| DE FR, NL | 138852/2016 | 2923900055 | #3-Chloro- N-methoxy- N-methylpropanamine [CAS RN 1062512-53-1]# | <15000/red |
| DE NL | 975/06 | 2924190055 | #2-Propyl butylcarbamate [CAS RN 7514-73-3]# | <15000/green |
| | 241869/2011 | 2924292027 | #2-Bromo-4-fluoracetamide [CAS RN 1009-22-9]# | <15000/red |
| | 5450799/2016 | 2924292030 | #5odim 4-methyl-3-nitrobenzoylbenzenesulfonate [CAS RN 84029-45-8]# | <15000/green |
| | 52729004/2016 | 2924292050 | #N-Benzyloxycarbonyl-L-tert-leucine isopropylamide salt [CAS RN 1621085-33-3]# | <15000/red |
| DE, IT, NL | 1008293/2011 | 2924292069 | # N - Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide [CAS RN 39711-79-0]# | <15000/red |
| DE, IT, NL | 243647/2011 | 2924292075 | #7,2-Dibromo-3-nitropropionamide [CAS RN 10222-01-2]# | <15000/green |
| | 5572875/2016 | 2924292080 | #5-Dichloro-3-bromo-1,2-dichloroethane-1,1-diene [CAS RN 84-84-2]# | <15000/green |
| | 1279141/2016 | 2924292095 | #4-Cyano-2-methoxybenzaldehyde [CAS RN 2162-45-8]# | <15000/green |
| | 1174566/2016 | 2924292100 | #2-(4-Cyanophenyl)acetic acid [CAS RN 42288-26-6]# | <15000/red |
| | 3434/06 | 2924292101 | # m - (1-Cyanoethyl)benzoic acid [CAS RN 5537-71-3]# | <15000/green |
| | 1242892/2016 | 2928009028 | #Pentan-2-one oxime [CAS RN 623-40-5]# | <15000/green |
| DE NL | 1003526/2011 | 2928009030 | # N - Isopropylhydroxylamine [CAS RN 5080-22-8]# | <15000/green |
| DE NL | 855/06, 87/06 | 2931900050 | #1-Tributylamine [CAS RN 993-02-7]# | <15000/green |
| DE NL | 3939333/2015 | 2931900060 | #Chloroethyldimethylsilane [CAS RN 179-58-0]# | <15000/green |
| DE NL | 2962068/2015 | 2931900065 | #Bis(4-tert-butylphenyl)phosphonium hexafluorophosphate [CAS RN 61358-25-6]# | <15000/green |
| DE NL | 249212/2011 | 2931900085 | #5-Nitrobutylbenzene diacetate [CAS RN 92-55-7]# | <15000/green |
| | 26549/2011 | 2932290155 | #Cocarnin [CAS RN 91-64-5]# | <15000/green |
| | 977/06 | 2932290160 | #6-(Diethylamino)-3-methyl-2-(phenylamino)spiro[isobenzofuran-1(3H),9'-[9]H]xanthen-3-one [CAS RN 29512-49-0]# | <15000/green |
| | 976/06 | 2932290171 | #3-one [CAS RN 89331-94-2]# | <15000/green |
| | 5572888/2016 | 293290013 | #4-Chloro-3-(4-ethoxybenzyl)phenyl(1,3,5,5,8,8,8,8-octafluoro-6-hydroxy-2,2,2-trifluoroethyl)phosphonium hexafluorophosphate 2,2,2-trifluoroethylate [CAS RN 93313-94-2]# | <15000/green |
| | 300440/2011 | 293290015 | #1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindole[5,6-b]pyran [CAS RN 110738-30-2]# | <15000/green |
| DE, ES, FR, IT, NL | 300440/2011 | 293290015 | #1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindole[5,6-b]pyran [CAS RN 110738-30-2]# | <15000/green |
| | 5531421/2016 | 293290018 | #4-(4-Bromo-3-(tert-butyl)-2-pyridyl)-2-(2-(4-methoxyphenyl)phenoxy)benzimidazole [CAS RN 94311-78-2]# | <15000/green |
| | 1008960/2011 | 293290020 | #Ethyl-2-methyl-3-dioxolane-2-acetate [CAS RN 6143-10-1]# | <15000/red |
| | 5540645/2016 | 293290025 | #2-Aminopropan-1-ol hydrochloride [CAS RN 1187932-09-7]# | <15000/green |
| | 5552272/2016 | 293290030 | #2-Aminopropan-1-ol hydrochloride [CAS RN 1187932-09-7]# | <15000/green |
| | 1338889/2016 | 293290035 | #Pyridine-2,6-dicarboxylic acid [CAS RN 499-83-2]# | <15000/green |
| BE, NL | 1150602/2016 | 293290040 | #3-Dichloro-2-cyanopyridine [CAS RN 85331-33-5]# | <15000/red |
| BE, NL | 1100602/2016 | 293290045 | #3-Dichloro-2-cyanopyridine [CAS RN 85331-33-5]# | <15000/red |
| | 2072/2011 | 293290050 | #2-(Chloromethyl)-3-(dimethylamino)pyridine hydrochloride [CAS RN 22830-09-2]# | <15000/red |
| | 5552303/2016 | 293290055 | #3-(Chlorophenyl)-3-methoxypropylamine hydrochloride [CAS RN 115276-99-9]# | <15000/green |
| | 4479/2011 | 293290060 | #2-(Dimethylamino)pyridine hydrochloride [CAS RN 3811-73-2]# | <15000/green |
| | 5552155/2016 | 293290065 | #3-Chloro-6-(3-fluoro-5-isobutoxyphenyl)nicotinic acid [CAS RN 1897387-01-7]# | <15000/red |
| | 5450881/2016 | 293290070 | #Iopidine (ISO) [CAS RN 239110-15-7] with a content by weight of 97 % or more# | <15000/green |
| | 272742/2009 | 293290075 | #1-)- trans-4-(4-Fluorophenyl)-3-(hydroxymethyl)- N-methylpiperidine [CAS RN 105812-81-5]# | <15000/green |
| | 964100/2011 | 293290080 | #2-Dichloro-5-trifluoromethylpyridine [CAS RN 69045-84-7]# | <15000/red |
| | 134583/2016 | 293290090 | #6-Dimethoxy-2-[(4-piperidinyl)methyl]indan-1-one [CAS RN 120014-30-4]# | <15000/red |
| DE, DK, FR, HU, IT | 1242965/2016 | 293290100 | #Malonitril (CAS RN 124-39-7) # | <15000/green |
| | 1242965/2016 | 293290105 | #Benzonitril (CAS RN 91-76-9) # | <15000/green |
| | 300593/2011 | 293290110 | #Tropone sodium (INN) [CAS RN 2893-78-9]# | <15000/green |
| DE, IT, NL, SE, ES, FR, IT, PL, NL, CZ | 395967/2015 | 293290120 | #Ethyl N-tert-butylcarbamate [CAS RN 144978-62-7]# | <15000/green |
| | 109897/2016 | 293290130 | #3-Difluoromethoxy-2-mercapto-1-H-benzimidazole [CAS RN 97963-62-7]# | <15000/green |
| | 102959/2016 | 293290140 | #4-Dihydro-5-methoxy-4-methyl-3-H-1,2,4-triazol-3-on [CAS RN 135302-13-5]# | <15000/red |
| | 1092596/2016 | 293290150 | #3-Chloro-2-(1,1-difluoro-3-buten-1-yl)-6-methoxyquinaxaline [CAS RN 1799733-46-2]# | <15000/red |
| | 1279883/2016 | 293290160 | #4,5,7,8-Tetrahydro-1-H-pyridol[3,4-b]pyridine [CAS RN 151213-40-0]# | <15000/green |
| | 1099939/2016 | 293290170 | #O-Benzotriazol-1-yl- N, N, N', N'-tetramethyluronium tetrafluoroborate [CAS RN 125700-67-6]# | <15000/red |
| | 5531366/2016 | 293290180 | #15)-2,4-Triethylpyridine hydrochloride [CAS RN 1897428-40-8]# | <15000/red |
| | 551188/2016 | 293290190 | #15)-2,4-Triethylpyridine hydrochloride [CAS RN 1897428-40-8]# | <15000/red |
| | 1242932/2016 | 293290200 | #Diethyl dicarbamate (ISO) [CAS RN 85-00-7] in aqueous solution for use in the manufacture of herbicides | <15000/red |
| | 879311/2011 | 293290210 | #Acetarsulfate ethyl ester (INN) [CAS RN 139481-58-6]# | <15000/green |
| | 24645/2011 | 293290220 | #2,3-Dichloro-5-carboxyisothiazole [CAS RN 18480-53-0]# | <15000/green |
| | 255803/2011 | 293290230 | #2-[(Z)-1-(2-Amino-4-thiazolyl)-2-benzothiazolylthio]-2-oxoethylideneaminoxy]acetic acid methyl ester [CAS RN 246035-38-1]# | <15000/red |
| | 295939/2011 | 293290240 | #Bismucosinate (ISO) with a purity by weight of 96 % or more [CAS RN 116255-48-2]# | <15000/green |
| | 250760/2011 | 293290250 | #11-(Piperazin-1-yl)benzothiazol[1,1-a]thiazepine dihydrochloride [CAS RN 111974-74-4]# | <15000/green |

| | | | | |
|---------------------------|------------------------|--|------------------------------------|------------------------------------|
| 5501233/2016 | 2934999046 | #4-Methoxy-5-(3-morpholin-4-yl-propoxy)-2-nitro-benzonitrile (CAS RN 675126-26-8)# | <15000/red | |
| 5450922/2016 | 2934999047 | #Thiazuron (SO) (CAS RN 51707-55-2) with a content by weight of 98 % or more# | <15000/red | |
| 981838/2011 | 2934999048 | #Propan-2-ol -- 2-methyl-4-(4-methylpiperazin-1-yl)-10 H-thieno[2,3-b][1,5]benzodiazepine (1,2) dihydrate (CAS RN 864743-41-9)# | ≥15000/green | |
| 5552312/2016 | 2934999049 | #Cytidine 5'-(disodium phosphate) (CAS RN 6757-06-8)# | ≥15000/green | |
| 5501295/2016 | 2934999053 | #4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0)# | <15000/red | |
| 809/06 | 2934999075 | #[4 R-cis]-1,1-Dimethylethyl-6-[2]-(4-fluorophenyl)-5-(1-isopropyl)-3-phenyl-4-[(phenylamino)carbonyl]-1 H-pyrrrol-1-yl]ethyl]-2,2-dimethyl-1,3-dioxane-4-acetate (CAS RN 125971-95-1)# | ≥15000/green | |
| 821/06 | 2934999076, 3204200010 | #2,5-Thiophenediylbis[5-tert-butyl-1,3-benzoxazole] (CAS RN 7128-64-5)# | ≥15000/green | |
| 249194/2011 | 2935909023 | #N-[4-(2-Chloroacetyl)phenyl]methanesulphonamide (CAS RN 64488-52-4)# | ≥15000/green | |
| 294290/2011 | 2935909027 | #Methyl (3R,5S,6E)-7-[4-(4-fluorophenyl)-6-isopropyl-2-methyl(methylsulfonyl)amino]pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoate (CAS RN 147118-40-9) # | ≥15000/green | |
| 5552111/2016 | 2935909030 | #6-Aminopyridine-2-sulfonamide (CAS RN 75903-58-1)# | ≥15000/green | |
| 981844/2011 | 2935909048 | #(3R,5S,6E)-7-[4-(4-Fluorophenyl)-2-(methyl(methylsulfonyl)amino)-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoic acid -- 1-[(R)-(4-chlorophenyl)(phenyl)methyl]piperazine (1:1) (CAS RN 1235588-99-4) # | ≥15000/green | |
| 1099844/2016 | 2935909067 | #N-[2-phenoxyphenyl]methanesulphonamide (CAS RN 51765-51-6)# | <15000/red | |
| 858/06 | 2935909089 | 3-(3-Bromo-6-fluoro-2-methylindol-1-ylsulphonyl)-N,N-dimethyl-1,2,4-triazol-1-sulphonamide (CAS RN 348635-87-0) | ≥15000/green | |
| 1289865/2016 | 2940000030 | #D(+)-Trehalose dihydrate (CAS RN 6138-23-4)# | ≥15000/green | |
| 246354/2011 | 2941203010 | #Dihydrostreptomycin sulphate (CAS RN 5490-27-7)# | ≥15000/green | |
| 1242692/2016 | 2942000010 | #Sodium triacetoxymethylborohydride (CAS RN 56553-60-7)# | ≥15000/green | |
| 1001767/2015 | 3201909040, 3202900010 | #Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN 85029-52-3)# | UK susp._deletion or EU27 producer | IT |
| 631007/2010 | 3204110020 | #Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with a colourant C.I. Disperse Yellow 241 content of 97 % or more by weight# | UK susp._deletion or EU27 producer | BE, IT, NL |
| 247748/2011 | 3204110040 | #Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a colourant C.I. Disperse Red 60 content of 50 % or more by weight# | UK susp._deletion or EU27 producer | BE, IT, NL |
| 300340/2011 | 3204110050 | #Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95 % or more by weight# | UK susp._deletion or EU27 producer | CZ, IT |
| 247805/2011 | 3204110060 | #Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a colourant C.I. Disperse Blue 359 content of 50 % or more by weight# | UK susp._deletion or EU27 producer | IT |
| 989532/2011 | 3204120010 | #Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a colourant C.I. Acid Blue 9 content of 50 % or more by weight# | UK susp._deletion or EU27 producer | PL |
| 1174607/2016 | 3204120015 | #Colourant C.I. Acid Brown 75 (CAS RN 8011-86-7) and preparations based thereon with a colourant C.I. Acid Brown 75 content of 75 % or more by weight# | ≥15000/green | |
| 1174679/2016 | 3204120017 | #Colourant C.I. Acid Brown 355 (CAS RN 84989-26-4 or 60181-77-3) and preparations based thereon with a colourant C.I. Acid Brown 355 content of 75 % or more by weight# | ≥15000/green | |
| 1275088/2016 | 3204120025 | #Colourant C.I. Acid Black 210 (CAS RN 85223-29-6 or 99576-15-5) and preparations based thereon with a colourant C.I. Acid Black 210 content of 50 % or more by weight# | ≥15000/green | |
| 1174713/2016 | 3204120027 | #Colourant C.I. Acid Brown 425 (CAS RN 75234-41-2 or 119509-49-8) and preparations based thereon with a colourant C.I. Acid Brown 425 content of 75 % or more by weight# | ≥15000/green | |
| 1150396/2016 | 3204120035 | #Colourant C.I. Acid Black 234 (CAS RN 157577-99-6) and preparations based thereon with a colourant C.I. Acid Black 234 content of 75 % or more by weight# | ≥15000/green | |
| 1150455/2016 | 3204120037 | #Colourant C.I. Acid Black 210 sodium salt (CAS RN 201792-73-6) and preparations based thereon with a colourant C.I. Acid Black 210 sodium salt content of 50 % or more by weight# | ≥15000/green | |
| 1150528/2016 | 3204120045 | #Colourant C.I. Acid Blue 161/193 (CAS RN 12392-64-2) and preparations based thereon with a colourant C.I. Acid Blue 161/193 content of 75 % or more by weight# | ≥15000/green | |
| 1174590/2016 | 3204120047 | #Colourant C.I. Acid Brown 58 (CAS RN 70210-34-3 or 12269-87-3) and preparations based thereon with a colourant C.I. Acid Brown 58 content of 75 % or more by weight# | ≥15000/green | |
| 1174621/2016 | 3204120055 | #Colourant C.I. Acid Brown 165 (CAS RN 61724-14-9) and preparations based thereon with a colourant C.I. Acid Brown 165 content of 75 % or more by weight# | ≥15000/green | |
| 1174638/2016 | 3204120057 | #Colourant C.I. Acid Brown 282 (CAS RN 70236-60-1 or 12219-65-7) and preparations based thereon with a colourant C.I. Acid Brown 282 content of 75 % or more by weight# | ≥15000/green | |
| 1179215/2016 | 3204120065 | #Colourant C.I. Acid Brown 432 (CAS RN 119509-50-1) and preparations based thereon with a colourant C.I. Acid Brown 432 content of 75 % or more by weight# | ≥15000/green | |
| 807/06 | 3204130010 | #Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colourant C.I. Basic Red 1 content of 50 % or more by weight# | UK susp._deletion or EU27 producer | BE, DE |
| 1179262/2016 | 3204140040 | #Colourant C.I. Direct Black 168, in powder form for leather dyeing (CAS RN 85631-88-5) and preparations based thereon with a colourant C.I. Direct Black 168 content by weight of 75 % or more, in powder form for leather dyeing# | <15000/red | |
| 991704/2011 | 3204170015 | #Colourant C.I. Pigment Green 7 (CAS RN 1328-53-6) and preparations based thereon with a colourant C.I. Pigment Green 7 content of 40 % or more by weight# | UK susp._deletion or EU27 producer | BE, DE, DK, ES, GR, IT, NL, PL, PT |
| 1338994/2016 | 3204170018 | #Colourant C.I. Pigment Orange 16 (CAS RN 6505-28-8) and preparations based thereon with a colourant C.I. Pigment Orange 16 content of 90 % or more by weight# | UK susp._deletion or EU27 producer | DE |
| 1013616/2011, 987080/2011 | 3204170020 | #Colourant C.I. Pigment Blue 15.3 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15.3 content of 35 % or more by weight# | ≥15000/green | |
| 265499/2011, 5582590/2016 | 3204170022 | #Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50 % or more by weight# | ≥15000/green | |
| 991729/2011 | 3204170025 | #Colourant C.I. Pigment Yellow 14 (CAS RN 5468-75-7) and preparations based thereon with a colourant C.I. Pigment Yellow 14 content of 25 % or more by weight# | UK susp._deletion or EU27 producer | DK, ES, IT, NL, SE |
| 991732/2011 | 3204170035 | #Colourant C.I. Pigment Red 202 (CAS RN 3089-17-6) and preparations based thereon with a colourant C.I. Pigment Red 202 content of 70 % or more by weight# | UK susp._deletion or EU27 producer | DE |
| 330636/2011 | 3204170065 | #Colourant C.I. Pigment Red 53 (CAS RN 2092-56-0) and preparations based thereon with a colourant C.I. Pigment Red 53 content of 50 % or more by weight# | <15000/red | |
| 1179308/2016 | 3204190013 | #Colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 content of 75 % or more by weight# | ≥15000/green | |
| 635551/2010 | 3204190073 | #Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colourant C.I. Solvent Blue 104 content of 97 % or more by weight# | UK susp._deletion or EU27 producer | BE, DE, IT |
| 303586/2011 | 3204190077 | #Colourant C.I. Solvent Yellow 98 (CAS RN 27870-92-4 or CAS RN 12671-74-8) and preparations based thereon with a colourant C.I. Solvent Yellow 98 content of 95 % or more by weight# | UK susp._deletion or EU27 producer | DE |
| 1010644/2011 | 3204200030 | #Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based thereon with a colourant C.I. Fluorescent Brightener 351 content of 90 % or more by weight# | UK susp._deletion or EU27 producer | ES, IT, NL, PL |
| 1013641/2011 | 3206190010 | #Preparation containing by weight:### # 72 % (± 2 %) of mica (CAS RN 12001-26-2) and # 28 % (± 2 %) of titanium dioxide (CAS RN 13463-67-7) # | UK susp._deletion or EU27 producer | DE, IT, NL |
| 1243090/2016 | 3208901947 | #Solution containing by weight:### # 0.1 % or more but not more than 20 % of alkoxygroups containing siloxane polymer with alkyl or aryl substituents # 75 % or more of an organic solvent containing one or more of propyleneglycolether (CAS RN 1569-02-4), propylene glycol mono methyl ether acetate (CAS RN 108-65-6) or propyleneglycol propylether (CAS RN 1569-01-3) # | ≥15000/green | |
| 1254133/2015 | 3208901955 | #Preparation of 5 % or more but not more than 20 % by weight of a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene, isobutene and maleic anhydride in an organic solvent# | UK susp._deletion or EU27 producer | DE |
| 880/06 | 3208901960 | #Copolymer of hydroxystyrene with one or more of the following:### # styrene # alkoxytyrene # alkylacrylates # ###dissolved in ethyl lactate# | ≥15000/green | |
| 168821/2010 | 3402119010 | #Sodium lauryl methyl isethionate# | UK susp._deletion or EU27 producer | BE, DE |

| | | | | |
|----------------------------|------------|--|------------------------------------|----------------|
| 1254126/2015 | 3506919050 | #Preparation containing by weight:### # 15 % or more but not more than 60 % of styrene butadiene copolymers or styrene isoprene copolymers and # 10 % or more but not more than 30 % of pinene polymers or pentadiene copolymers # ### dissolved in:### # Methyl ethyl ketone (CAS RN 78-93-3) # Heptane (CAS RN 142-82-5), and # Toluene (CAS RN 108-88-3) or light aliphatic solvent naphtha (CAS RN 64742-89-8) # ### # | UK susp_ deletion or EU27 producer | DE |
| 1289924/2016 | 3507909030 | #Salicylate 1-monoxygenase (CAS RN 9059-28-3) in aqueous solution with### # an enzyme concentration of 6,0 U/ml or more, but not more than 7,4 U/ml, # a concentration by weight of sodium azide (CAS RN 26628-22-8) of not more than 0,09 % and # a pH value of 6,5 or more, but not more than 8,5 # | ≥15000/green | |
| 164630/2010 | 3601000010 | #Pyrotechnical powder in the form of granulate of cylindrical shape, composed of strontium nitrate or copper nitrate in the solution of nitroguanidine, binder and additives, used as a component of airbag inflators# | ≥15000/green | |
| 982571/2011 | 3801900010 | #Expandable graphite (CAS RN 90387-90-9 and CAS RN 12777-87-6)# | ≥15000/green | |
| 4565219-1/2017 | 3802100030 | #Chemically activated carbon in pellet (cylindrical) form, with:### # a diameter of 2 mm or more but not more than 3 mm, and a Butane Working Capacity of 5 g butane/100ml or more (as determined by the ASTM D 5228 method) #used for vapour absorption and desorption in emission control canisters of motor vehicles# | <15000/red | |
| 246373/2011 | 380892740 | #Preparation, consisting of a suspension of tetraloxydim (ISO), containing by weight:### # 30 % or more of tetraloxydim (ISO) and # not more than 70 % of a petroleum fraction consisting of aromatic hydrocarbons # | <15000/red | |
| 630977/2010 | 3808939050 | #Preparation in the form of powder, containing by weight:### # 55 % or more of Gibberellin A4, # 1 % or more but not more than 35 % of Gibberellin A7, # 90 % or more of Gibberellin A4 and Gibberellin A7 combined # not more than 10 % of a combination of water and other naturally occurring Gibberellins # ###of a kind used in plant growth regulators# | UK susp_ deletion or EU27 producer | DE |
| 5573295/2016 | 3811210011 | #Dispersing agent and oxidation inhibitor containing:### # o-amino polyisobutylene phenol (CAS RN 78330-13-9), # more than 30 % by weight but not more than 50 % by weight of mineral oils, # ###used in the manufacture of blends of additives for lubricating oils# | <15000/red | |
| 5573326/2016 | 3811290075 | #Oxidation inhibitor mainly containing a mixture of isomers of 1-(tert-dodecylthio)propan-2-ol (CAS RN 67124-09-8), used in the manufacture of blends of additives for lubricating oils# | <15000/red | |
| 5572943/2016 | 3811900050 | #Corrosion inhibitor containing:### # polyisobutyl succinic acid and # more than 5 % and not more than 20 % by weight of mineral oils # ###for use in the manufacture of blends of additives for fuels# | ≥15000/green | |
| 272668/2011 | 3812100010 | #Rubber accelerator based on diphenyl guanidine granules (CAS RN 102-06-7)# | ≥15000/green | |
| 968627/2011 | 3812399055 | #UV-stabilizer, containing:### # 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)phenol (CAS RN 2725-22-6) and # either N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) or # N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 82451-48-7) # | ≥15000/green | |
| 963132/2011 | 3812399065 | #Stabiliser for plastic material containing:### # 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-35-4), # 2-ethylhexyl 10-ethyl-4-[[2-[[2-ethylhexyl]oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-34-3), and # 2-ethylhexyl mercaptoacetate (CAS RN 7659-86-1) # | ≥15000/green | |
| 1013685/2011 | 3812399070 | #Light stabiliser containing:### # branched and linear alkyl esters of 3-[2H-benzotriazolyl]-5-(1,1-dimethylethyl)-4-hydroxybenzenepropanoic acid (CAS RN 127519-17-9), and # 1-methoxy-2-propyl acetate (CAS RN 108-65-6) # | UK susp_ deletion or EU27 producer | BE, DE, IT, NL |
| 418/2/1981, 968510/2011 | 3815199010 | #Catalysts consisting of chromium trioxide, dichromium trioxide or organometallic compounds of chromium, fixed on a silicon dioxide support with a pore volume of 2 cm ³ /g or more (as determined by the nitrogen absorption method)# | ≥15000/green | |
| 1336293/2016 | 3815199013 | #Catalyst consisting of:### # chromium trioxide (CAS RN 1333-82-0), # dichromium trioxide (CAS RN 1308-38-9), # ###on a support of aluminium oxide (CAS RN 1344-28-1)##### | <15000/red | |
| 3112/9/04 | 3815909089 | #Rhodococcus rhodococcus j1 bacteria, containing enzymes, suspended in a polyacrylamide gel or in water, for use as a catalyst in the production of acrylamide by the hydration of acrylonitrile# | ≥15000/green | |
| 968549/2011 | 3817008030 | #Mixed alkylnaphthalenes, modified with aliphatic chains, of a chain-length varying from 12 to 56 carbon atoms# | ≥15000/green | |
| 5501295/2016 | 3824999227 | #4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzotrile (CAS RN 675126-28-0) in an organic solvent# | <15000/red | |
| 5582909/2016, 5651724/2016 | 3824999230 | #Aqueous solution of caesium formate and potassium formate containing by weight:### # 1 % or more but not more than 84 % of caesium formate (CAS RN 3495-36-1), # 1 % or more but not more than 76 % of potassium formate (CAS RN 590-24-1), and # whether or not containing not more than 9 % of additives # | <15000/red | |
| 836/06 | 3824999236 | #Calcium phosphonate phenate, dissolved in mineral oil# | <15000/red | |
| 1231/2008 | 3824999254 | #Poly(tetramethylene glycol) bis[(9-oxo-9H-thioxanthen-1-yl)oxy]acetate] with an average polymer chain length of less than 5 monomer units (CAS RN #####13452-37-8) # | UK susp_ deletion or EU27 producer | NL |
| 295953/2011 | 3824999264 | #Preparation containing by weight:### # 89 % or more but not more than 98,9 % of 1,2,3-trideoxy-4,6,5,7-bis-O-[(4-propylphenyl)methylene]-nonitol # 0,1 % or more but not more than 1 % of colourants # 1 % or more but not more than 10 % of fluoropolymers # | <15000/red | |
| 1102055/2015 | 3824999269 | #Preparation containing by weight:### # 80 % or more but not more than 92 % of Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5) # 7 % or more but not more than 20 % oligomers of Bisphenol-A bis(diphenyl phosphate) and # not more than 1 % triphenyl phosphate (CAS RN 115-86-6) # | UK susp_ deletion or EU27 producer | BE, ES, HU |
| 5505061/2016 | 3824999345 | #Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate (CAS RN 4681-22-5) containing by weight:### # not more than 20 % of disodium sulphate, and # not more than 10 % of sodium chloride # | ≥15000/green | |
| 1336307/2016 | 3824999350 | #Preparation, consisting of acetylflame potassium (CAS RN 55589-62-3) and potassium hydroxide (CAS RN 1310-58-3)##### | <15000/red | |
| 1249613/2016 | 3824999355 | #Mixture containing by weight:### # 70 % or more, but not more than 90 % of (5)-indoline-2-carboxylic acid (CAS RN 79815-20-6) and # 10 % or more, but not more than 30 % of o-chlorocinnamic acid (CAS RN 3752-25-8) # ### # | <15000/red | |
| 255889/2011 | 3824999660 | #Fused magnesia containing by weight 15 % or more of dichromium trioxide# | ≥15000/green | |
| 5582854/2016 | 3824999670 | #Powder containing by weight:### # 28 % or more but not more than 51 % of talc (CAS RN 14807-96-6) # 30,5 % or more but not more than 48 % of silicon dioxide (quartz) (CAS RN 14808-60-7) # 17 % or more but not more than 26 % of aluminium oxide (CAS RN 1344-28-1) # | <15000/red | |
| 1268378/2016 | 3824999674 | #Mixture with a non-stoichiometric composition:### # with a crystalline structure, # with a content of fused magnesia-alumina spinel and with admixtures of silicate phases and aluminates, at least 75 % by weight of which consists of fractions with a grain size of 1-3 mm and at most 25 % consists of fractions with a grain size of 0-1 mm # | ≥15000/green | |
| 5501338/2016 | 3824999680 | #Mixture consisting of:### # 64 % or more, but not more than 74 % by weight of amorphous silica (CAS RN 7631-86-9) # 25 % or more, but not more than 35 % by weight of butanone (CAS RN 78-93-3) and # not more than 1 % by weight of 3-(2,3-epoxypropoxy)propyltrimethoxysilane (CAS RN 2530-83-8) # | ≥15000/green | |
| 265520/2011 | 3901109030 | #Polyethylene granules, containing by weight 10 % or more but not more than 25 % of copper# | ≥15000/green | |
| 1249670/2016 | 3901908073 | #Mixture containing by weight:### # 80 % or more, but not more than 94 % of chlorinated polyethylene (CAS RN 64754-90-1) and # 6 % or more, but not more than 20 % of styrene-acrylic copolymer (CAS RN 27136-15-8) # ### # | ≥15000/green | |
| 265549/2011 | 3902300095 | #A-B-A block copolymer, consisting of:### # a copolymer of propylene and ethylene and # 21 % (± 3 %) by weight of polystyrene # | ≥15000/green | |
| 246889/2011 | 3902300097 | #Liquid ethylene-propylene-copolymer with:### # a flashpoint of 250 °C or more, # a viscosity index of 150 or more, # of a number average molecular weight (M _n) of 650 or more # | ≥15000/green | |

| | | | | |
|--------------------|------------------------------------|--|------------------------------------|--------------------|
| 883/06 | 3902909098 | #Synthetic poly-alpha-olefin with a viscosity at 100° Celsius (measured according to method ASTM D 445) ranging from 3 centistokes to 9 centistokes and obtained by polymerization of a mixture of dodecene and tetradecene, containing a maximum of 40 % of tetradecene# | ≥15000/g/enn | |
| 981/06 | 3903190040 | #Crystalline polystyrene with:### # a melting point of 268 °C or more but not more than 272 °C # a setting point of 232 °C or more but not more than 247 °C, # whether or not containing additives and filling material # ### # | ≥15000/green | |
| 331261/2011 | 3903909020 | #Copolymer in the form of granules containing by weight:### # 83 ± 3 % styrene, # 7 ± 2 % n-butyl acrylate, # 9 ± 2 % n-butyl methacrylate and # 0,01 % or more but not more than 1 % of polyolefinic wax # | ≥15000/green | |
| 294144/2011 | 3903909025 | #Copolymer in the form of granules containing by weight:### # 82 ± 6 % styrene, # 13,5 ± 3 % n-butyl acrylate, # 1 ± 0,5 % methacrylic acid and # 0,01 % or more but not more than 8,5 % of polyolefinic wax # | <15000/red | |
| 977359/2011 | 3903909060, 3911909960 | #Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (M n) of not more than 4500, in flake or powder form# | ≥15000/green | |
| 5451123/2016 | 3906909043 | #Copolymer of methacrylic esters, butylacrylate and cyclic dimethylsiloxanes (CAS RN 143106-82-5)# | ≥15000/green | |
| 5457188/2016 | 3906909053 | #Polyacrylamide powder having an average particle size of less than 2 microns and a melting point of more than 260°C, containing by weight:### # 75 % or more but not more than 85 % of polyacrylamide and # 15 % or more but not more than 25 % of polyethylene glycol # | <15000/red | |
| 1013632/2011 | 3907201160 | #Preparation containing:### # α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2) and # α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly(oxy-1,2-ethanediyl) (CAS RN 104810-47-1) # | UK susp_ deletion or EU27 producer | BE, DE, ES, IT, NL |
| 1349038/2016 | 3907202025 | #Copolymer of propylene oxide and butylene oxide, monododecylether, containing by weight:### # 48 % or more but not more than 52 % of propylene oxide and # 48 % or more but not more than 52 % of butylene oxide # ### # | UK susp_ deletion or EU27 producer | BE |
| 265569/2011 | 3907209960 | #Polytetramethylene oxide di-p-aminobenzoate# | ≥15000/green | |
| 276918/2011 | 3907690040 | #Poly(ethylene terephthalate) pellets or granules:### # with a specific gravity of 1,23 or more but not more than 1,27 at 23° C, and # containing not more than 10 % by weight of other modifiers or additives # | <15000/red | |
| 3939762/2015 | 3910000015 | #Dimethyl, methylpropyl(polypropylene oxide) siloxane (CAS RN 68957-00-6), trimethylsiloxy-terminated# | UK susp_ deletion or EU27 producer | FR |
| 1295010/2016 | 3910000025 | #Preparations containing by weight:### # 10 % or more, 2-hydroxy-3-[3-[1,3,3,3-tetramethyl-1-(trimethylsilyloxy)disiloxanyl]propoxy]propyl-2-methyl-2-propenoate (CAS RN 69861-02-5), and # 10 % or more, α-Butyldimethylsilyl-ω-3-[2-methyl-1-oxo-2-propen-1-yl]oxy]propyl-terminated silicone polymer (CAS RN 146632-07-7) # | ≥15000/green | |
| 1295050/2016 | 3910000035 | #Preparations containing by weight:### # 30 % or more, α-Butyldimethylsilyl-ω-(3-methacryloxy-2-hydroxypropoxy)propyl dimethylsilyloxy-polydimethylsiloxane (CAS RN 662148-59-6) and # 10 % or more, N,N-Dimethylacrylamide (CAS RN 2680-03-7) # | ≥15000/green | |
| 859/06 | 3910000040 | #Silicones of a kind used in the manufacture of long term surgical implants# | ≥15000/green | |
| 5651807/2016 | 3910000045 | #Dimethyl siloxane, hydroxy-terminated polymer with a viscosity of 38-100 mPa·s (CAS RN 70131-67-8)# | ≥15000/green | |
| 5652366/2016 | 3910000055 | #Preparation containing by weight:### # 55 % or more but not more than 65 % of vinyl terminated polydimethylsiloxane (CAS RN 68083-19-2), # 30 % or more but not more than 40 % of dimethylvinylated and trimethylated silica (CAS RN 68988-89-6), and # 1 % or more but not more than 5 % of silicic acid, sodium salt, reaction products with chlorotrimethylsilane and isopropyl alcohol (CAS RN 68988-56-7) # ### # | UK susp_ deletion or EU27 producer | BE |
| 265591/2011 | 3911901940 | #m-Xylene formaldehyde resin# | ≥15000/green | |
| 884/06 | 3911909986 | #Copolymer of methyl vinyl ether and maleic acid anhydride (CAS RN 9011-16-9)# | ≥15000/green | |
| 167126/2010 | 3912110030 | #Cellulose triacetate (CAS RN 9012-09-3)# | ≥15000/green | |
| 303546/2011 | 3912398540 | #Hypromellose (INN) (CAS RN 9004-65-3)# | UK susp_ deletion or EU27 producer | Almost all MS |
| 276949/2011 | 3919108070, 3919908075 | #Rolls of polyethylene foil:### # self-adhesive on one side, # of a total thickness of 0,025 mm or more, but not more than 0,09 mm, # of a total width of 60 mm or more, but not more than 1 110 mm, # ##for use in the manufacture of products of Headings 8521 or 8528 for protection purposes# | <15000/red | |
| 293907/2011 | 3919108075, 3919908080, | #Self-adhesive reflecting film, consisting of several layers including:### # a copolymer of acrylic resin, # polyurethane, # a metallised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, # glass microspheres, and # an adhesive layer, with a release liner on one or both sides # | ≥15000/green | |
| 246973/2011 | 3920108930 | #Ethylene vinyl acetate (EVA) film with:### # a raised relief surface with embossed undulations, and # a thickness of more than 0,125 mm # | ≥15000/green | |
| 3119/13/04, 804/06 | 3920108940 | #Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0,8 mm or more but not more than 1,2 mm# | UK susp_ deletion or EU27 producer | IT |
| 967272/2011 | 3920202140 | #Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0,1 mm, # printed on both sides with specialised coatings to allow banknote security printing # | <15000/red | |
| 3423/06 | 3920992850 | #Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm, covered on one side with a removable protective film# | ≥15000/green | |
| 265624/2011 | 3920992870 | #Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # microspheres with a coating of metal, whether or not alloyed with gold, # an adhesive layer, # with a protective layer of silicone or poly(ethylene terephthalate) on one side, # with a protective layer of poly(ethylene terephthalate) on the other side, and # with a width of 5 cm or more but not more than 100 cm # with a length of not more than 2 000 m # | ≥15000/green | |
| 5451174/2016 | 3920995970 | #Tetrafluoroethylene film, put up in rolls, with:### # a thickness of 50 µm, # a melting point of 260 °C, and # a specific gravity of 1,75 (ASTM D792) # ##for use in the manufacture of semiconductor devices# | <15000/red | |
| 5457200/2016 | 3921190050 | #Porous membrane of polytetrafluoroethylene (PTFE) laminated to a polyester spunbonded non-woven cloth with:### # a total thickness of more than 0,05 mm but not more than 0,20 mm, # a water entry pressure between 5 and 200 kPa according to ISO 811, and # an air permeability of 0,08 cm ³ /cm ² /s or more according to ISO 5636-5 # | ≥15000/green | |
| 1010631/2011 | 3923109010 | #Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplastics proving special electrostatic discharge (ESD) and outgassing properties, # having non porous, abrasion resistant or impact resistant surface properties, # fitted with a specially designed retainer system that protects the photomask or wafers from surface or cosmetic damage and # with or without a gasket seal, # ##of a kind used in the photolithography or other semiconductor production to house photomasks or wafers# | UK susp_ deletion or EU27 producer | DE, FR |
| 969500/2011 | 3926909730 | #Parts of car radio and car air-conditioner front panels### # of acrylonitrile-butadiene-styrene with or without polycarbonate, # coated with a copper, a nickel and a chrome layers, # with a total thickness of coating of 5,54 µm or more but not more than 49,6 µm # | ≥15000/green | |
| 1336370/2016 | 3926909740 | #Silicone shell for breast implant# | ≥15000/green | |
| 5560026/2016 | 3926909777 | #Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 mm, in immediate packings of 2 500 pieces or more, of a kind used in car parking aid sensor systems# | ≥15000/green | |
| 1297172/2016 | 4010310010, 4010330010, 4010390010 | #Vulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87# | <15000/red | |
| 5524428/2016 | 4016995710 | #Air intake hose for air supply to the combustion part of the engine comprising at least:### # one flexible rubber hose, # one plastic hose, and # metal clips, # whether or not a resonator # ##for use in the manufacture of goods of Chapter 87# | ≥15000/green | |

| | | | |
|--------------|--|---|--------------|
| 5524327/2016 | 4016995720 | #Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at least five plastic clips for use in the manufacture of goods of Chapter 87# | <15000/red |
| 272718/2011 | 4016999730 | #Tyre moulding bladder# | ≥15000/green |
| 1336266/2016 | 4412994010, 4412995010, 4412998520 | #Laminated wood consisting of two layers of sheets for veneering:### # a width of 210 mm or more but not more than 320 mm, # a length of 297 mm or more but not more than 450 mm, # a thickness of 0,45 mm or more but not more than 0,8 mm, # ###for use in the manufacture of products falling within heading 4420, 4421, 4820, 4909 or 4911# | <15000/red |
| 1/1/1989 | 5004001010 | #Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scoured or bleached, entirely of silk# | ≥15000/green |
| 264348/2011 | 5603929080, 5603939050 | #Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments:### # a weight of 25 g/m ² or more but not more than 150 g/m ² , # in the piece or simply cut into squares or rectangles, # not impregnated, # with cross-directional or machine-directional stretch properties # ###for use in the manufacture of infant/child care products# | ≥15000/green |
| 1361540/2016 | 5903209020 | #Two layers' plastic-laminated textile fabric with:### # one layer consisting of knitted or crocheted polyester textile fabric, # other layer consisting of polyurethane foam, # a weight of 150 g/m ² or more, but not more than 500 g/m ² , # a thickness of 1 mm or more, but not more than 5 mm # ###for use in the manufacture of the retractable roof of motor vehicles# | ≥15000/green |
| 1060/13/1982 | 5907000010 | Textile fabrics, coated with adhesive in which are embedded spheres of a diameter of not more than 150 µm | ≥15000/green |
| 5451151/2016 | 6805300010 | #Probe tips cleaning material consisting of a polymer matrix containing abrasive particles mounted on a substrate for use in the manufacture of semiconductors# | <15000/red |
| 822/06 | 7019390050 | #Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts# | ≥15000/green |
| 1290020/2016 | 7019400070, 7019520030 | #E-fibre glass fabrics:### # having a weight of 20 g/m ² or more, but not more than 214 g/m ² , # impregnated with silane, # in rolls, # having a humidity content by weight of 0,13 % or less, and # having not more than 3 hollow fibres out of 100 000 fibres, # ###for the exclusive use in the manufacture of prepregs and copper clad laminates# | ≥15000/green |
| 977954/2011 | 7020001010, 7616999077 | #Television pedestal stands with or without bracket for fixation to and stabilization of television cabinet case/body# | ≥15000/green |
| 831/2006 | 7201101110 | #Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm# | ≥15000/green |
| 830/2006 | 7201103010 | Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm, containing by weight not more than 1 % of silicon | ≥15000/green |
| 5524249/2016 | 7318190030 | #Connecting rod for the master brake cylinder with screw threads on both ends for use in the manufacture of goods of Chapter 87 # | <15000/red |
| 853/2006 | 7326200020 | #Metal fleece, consisting of a mass of stainless steel wires of diameters of 0,001 mm or more but not more than 0,070 mm, compacted by sintering and rolling# | ≥15000/green |
| 961245/2011 | 7607119048, 7607119049, 760711904851, 7607119049 | #Aluminium foil in rolls:### # having a purity of 99,99 % by weight, # of a thickness of 0,021 mm or more but not more than 0,2 mm, # with a width of 500 mm, # with a surface oxide layer by 3 to 4 nm thick, # and with a cubic texture of more than 95 % # | ≥15000/green |
| 984128/2011 | 7616999070, 8482800010, 8803300040 | #Connecting components for use in the production of helicopter tail rotor shafts# | ≥15000/green |
| 1362566/2016 | 8108903060 | #Forged cylindrical bars of titanium with:### # a purity of 99,995 % by weight or more, # a diameter of 140 mm or more but not more than 200 mm, # a weight of 5 kg or more but not more than 300 kg # ### # ### # | ≥15000/green |
| 982694/2011 | 8108903070 | #Wire of an titanium alloy containing by weight:### # 22 % (± 1 %) of vanadium, and # 4 % (± 0,5 %) of aluminium # ###or### # 15 % (± 1 %) of vanadium, # 3 % (± 0,5 %) of chromium, # 3 % (± 0,5 %) of tin and # 3 % (± 0,5 %) of aluminium # | ≥15000/green |
| 982750/2011 | 8108905055 | #Plates, sheets, strip and foil of an alloy of titanium# | ≥15000/green |
| 982936/2011 | 8108909030, 9003900020 | #Parts of spectacle frames and mountings, including### # temples, # blanks of a kind used for the manufacture of spectacle parts and # bolts of the kind used for spectacle frames and mountings, # ###of a titanium alloy# | ≥15000/green |
| 949/2006 | 8407901010 | #Four-stroke petrol engines of a cylinder capacity of not more than 250 cm ³ for use in the manufacture of garden equipment of heading 8432, 8433, 8436 or 8508# | ≥15000/green |
| 1302002/2016 | 8409910040 | #Fuel injector with solenoid valve for optimized atomization in the combustion chamber for use in the manufacture of spark-ignition internal combustion piston engines of motor vehicles# | ≥15000/green |
| 248701/2011 | 8409990010, 8479907085 | #Injectors with solenoid valve for optimised atomisation in the engine combustion chamber# | ≥15000/green |
| 5506673/2016 | 8409990040 | #Plastic or aluminium cylinder head cover with:### # a camshaft position sensor (CMPS), # metal brackets for mounting on an engine, and # two or more gaskets, # ###for use in the manufacture of engines of motor vehicles# | <15000/red |
| 1378927/2017 | 8409990070 | #Metal alloy intake and exhaust valve with a Rockwell hardness HRC 20 or more, but not more than HRC 50 for use in the manufacture of compression ignition engines of motor vehicles### # | <15000/red |
| 371591/2013 | 8411990030 | #Turbine housing of turbochargers with:### # a heat-resistance of not more than 1 050 °C, and # a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm # | ≥15000/green |
| 5506724/2016 | 8413302030 | #Single-cylinder radial-piston high pressure pump for gasoline direct injection with:### # an operating pressure of 200 bar or more, but not more than 350 bar, # a flow control, and # a pressure relief valve, # ###for use in the manufacture of engines of motor vehicles# | ≥15000/green |
| 902/2006 | 8418991070 | #Evaporator made of aluminium for use in the manufacture of air conditioning machines for automobiles# | <15000/red |
| 1297221/2016 | 8424897020 | #Mechanical passenger car headlights washer with telescopic hose, high pressure nozzles and mounting clamps for use in the manufacture of goods of Chapter 87### # | <15000/red |
| 527496/2014 | 8479899760 | #Bioreactor for biopharmaceutical cell culture:### # having interior surfaces of austenitic stainless steel, and # with a process capacity up to 15 000 litres, # whether or not combined with a "clean-in-process" system and/or a dedicated paired media hold vessel # | ≥15000/green |
| 5506241/2016 | 8479907087 | #Fuel hose for internal combustion piston engines with a fuel temperature sensor, with at least two inlet hoses and three outlet hoses for use in the manufacture of engines of motor vehicles# | <15000/red |
| 5505106/2016 | 8481805920 | #Pressure regulating valve for incorporation into compressors of motor vehicle air condition units# | ≥15000/green |
| 248671/2011 | 8483402950 | #Gear set of cycloid gear type with:### # a rated torque of 50 Nm or more but not more than 9 000 Nm, # standard ratios of 1:50 or more but not more than 1:475, # lost motion of not more than one arc minute, # an efficiency of more than 80 % # ###of a kind used in robot arms# | ≥15000/green |
| 5505154/2016 | 8484200010 | #Mechanical shaft seal for incorporation into rotary compressors for use in the manufacture of motor vehicle air condition units# | ≥15000/green |
| 5560070/2016 | 8501109956 | #DC Motor :### # with a speed rotation of not more than 7000 rpm (without load), # with a nominal voltage of 12 V (± 4 V), # with a maximum power of 13,78 W (at 3,09 A), # with a specified temperature range from -40°C to 160°C, # with a gear connection, # with a mechanical attachment interface, # with 2 electrical connections, # with a maximum torque of 100 Nm # | ≥15000/green |
| 5560106/2016 | 8501109958 | #DC Motor :### # with a speed rotation of not more than 6500 rpm (without load), # with a nominal voltage of 12 V (± 4 V), # with a maximal power below than 20 W, # with a specified temperature range from -40°C to 160°C, # with a worm gear drive, # with a mechanical attachment interface, # with 2 electrical connections, # with a maximum torque of 75 Nm # | ≥15000/green |

| | | | | |
|--------------|------------------------------------|--|--------------|--|
| 3869531/2015 | 8501109964 | #DC motor to control angular position of the flap to adjust gas flow in the Air Throttle and EGR valve:### # with Ingress Protection (IP) standard of IP69, # with a rotor speed of not more than 6 500 rpm when not loaded, # with a rated voltage of 12.0 V (+/- 0.1), # of a specified temperature range of - 40 °C or more, but not more than + 165 °C, # with or without a connecting pinion, # with or without an engine connector, # with or without a flange, # with a diameter of not more than 40 mm (not including the flange), # with an overall height of not more than 90 mm (from the base to the pinion) # | ≥15000/green | |
| 998/2006 | 8501310030 | DC motor, brushless, with a three-phase winding, an external diameter of 85 mm or more, but not more than 115 mm, a nominal torque of 2,23 Nm (± 1.0 Nm), of an output of more than 120 W but not more than 520 W, calculated with 1 550 rpm (± 350 rpm) at a supply voltage of 12 V equipped with electronic circuit with sensors using the Hall effect, for use with an electric power steering control module (power steering motor) | <15000/red | |
| 1268149/2016 | 8501310075 | #Brushless DC motor assembly comprised of a motor and transmission, with:### # electronic control operating by Hall Effect position sensors, # voltage input 9V or more but not more than 16V, # external diameter of the motor 70 mm or more but not more than 80 mm, # output motor power 350 W or more but not more than 550W, # maximum output torque 50 Nm or more but not more than 52 Nm, # maximum output rotation speed 280 rpm or more but not more than 300 rpm, # coaxial male spline outputs of outer diameter 20 mm (± 1 mm), 17 teeth and minimum length of teeth 25 mm (± 1 mm), and # with distance between root of splines 119 mm (± 1 mm) # ##for use in the manufacture of all-terrain or utility task vehicles# | <15000/red | |
| 160472/2010 | 8501330030, 8501408050, 8501535010 | #Electric drive for motor vehicles, with an output of not more than 315 kW:### # with an AC or DC motor with or without transmission, # with or without power electronics # | ≥15000/green | |
| 248681/2011 | 8501510030, 8501522050 | #AC synchronous servo motor with resolver and brake for a maximum speed of not more than 6 000 rpm, with:### # an output of 340 W or more but not more than 7,4 kW, # a flange of dimensions of not more than 180 mm × 180 mm, and # a length from flange to extreme end of resolver of not more than 271 mm # | ≥15000/green | |
| 1219/2009 | 8503009933 | #Stator for brushless motor of electrical power steering with a roundness tolerance of 50 µm# | ≥15000/green | |
| 1249730/2016 | 8504318050 | #Transformers for use in the manufacture of electronic drivers, control devices and LED light sources for lighting industry# | ≥15000/green | |
| 1301940/2016 | 8505110047 | #Articles in the form of a triangle, square or rectangle, whether or not arched or with rounded corners, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with the following dimensions:### # a length of 9 mm or more but not more than 105 mm, # a width of 5 mm or more but not more than 105 mm, and # a height of 2 mm or more but not more than 55 mm # | ≥15000/green | |
| 3869578/2015 | 8506501010 | #Lithium cylindrical primary cells with:### # a diameter of 14.0 mm or more but not more than 26.0 mm, # a length of 2,2 mm or more but not more than 51 mm, # a voltage of 1,5 V or more, but not more than 3,6 V, # a capacity of 0,15 Ah or more, but not more than 5,00 Ah # ##for use in the manufacture of telemetry and medical devices, electronic meters or remote controls# | <15000/red | |
| 328918/2011 | 8507908070 | #Cut plate of nickel-plated copper foil, with:### # a width of 70 mm (± 5 mm), # a thickness of 0,4 mm (± 0,2 mm), # a length of not more than 55 mm, # ##for use in the manufacture of lithium-ion electric rechargeable batteries# | <15000/red | |
| 1302174/2016 | 8511300055 | #Ignition coil:### # with a length of 50 mm or more, but not more than 200 mm, # with an operating temperature of - 40 °C or more, but not more than 140 °C, and # with a voltage of 9 V or more, but not more than 16 V, # with or without connection cable, # ##for use in the manufacture of engines of motor vehicles# | ≥15000/green | |
| 1302069/2016 | 8511800020 | #Glow-plug for pre-heating of the diesel engines with:### # an operating temperature of more than 800 °C, # a voltage of 5 V or more, but not more than 16 V, # a heating rod containing silicon nitride (Si 3 N 4) and molybdenum disilicide (MoSi 2), and # a metal housing # ##for use in the manufacture of diesel engines of motor vehicles# | <15000/red | |
| 917/2006 | 8529906550 | #Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufacture of products falling under heading 8528# | ≥15000/green | |
| 277185/2011 | 8529909257 | #Metal holder, metal fixing item or internal stiffener of metal, for use in the manufacture of televisions, monitors and video players# | ≥15000/green | |
| 1289887/2016 | 8536411020 | #Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with a photovoltaic generator and a power MOSFET output switch in a casing with connections for a voltage of 60 volts or less and a current of 2 amps or less# | ≥19000/green | |
| 1289909/2016 | 8536419050 | #Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with one or two photovoltaic generators and two power MOSFET output switches in a casing with connections for a maximum voltage of 60 volts and a minimum current of 2 amp# | <15000/red | |
| 1289954/2016 | 8536490040 | #Photoelectric (so called photovoltaic) relay consisting of two GaAlAs light-emitting diodes, two galvanically isolated input circuits with photovoltaic generator(s) and four power MOSFET output switches in a casing with connections for a voltage of more than 60 volts# | ≥15000/green | |
| 277218/2011 | 8536699085 | #Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the manufacture of products falling within headings 8521 or 8528# | ≥15000/green | |
| 277218/2011 | 8536699086 | #High-Definition Multimedia Interface (HDMI) type socket or plug, built into a plastic or metal housing, with 19 pins or 20 pins in 2 rows, for use in the manufacture of products falling within headings 8521 or 8528# | ≥15000/green | |
| 297145/2011 | 8536700010 | #Optical socket, plug or connector, for use in the manufacture of goods falling within headings 8521 or 8528# | ≥15000/green | |
| 5559923/2016 | 8537109865 | #Lever for control module under the steering wheel:### # with one or more single or multi-positional electrical switches (push-button, rotary or other), # whether or not equipped with printed circuit boards and electrical cables, # for a voltage of 9 V or more but not more than 16 V, # ##of a kind used in the manufacture of motor vehicles of Chapter 87# | ≥15000/green | |
| 5524483/2016 | 8537109875 | #Control unit for keyless access to vehicle and vehicle starting, with electrical switching apparatus, in a plastic housing, for a voltage of 12 V, whether or not with:### # an antenna, # a connector, # a metal holder, # ##for use in the manufacture of goods of Chapter 87# | <15000/red | |
| 5559994/2016 | 8538909960 | #Front control panel, in the form of a plastic box, with light guides, rotary switches, pressure switches and buttons switches, or other type of switches, without any electrical component, of a kind used in the dashboard of motor vehicles of Chapter 87# | ≥15000/green | |
| 603/1/1987 | 8540208091 | #Photomultiplier# | ≥15000/green | |
| 5451360/2016 | 8543709015 | #Laminated electrochromic film consisting of:### # two outer layers of polyester, # a middle layer of acrylic polymer and silicone, and # two electric connection terminals # ### # | ≥15000/green | |
| 1290007/2016 | 8543709033 | #High-frequency amplifier comprising one or more integrated circuits and one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing# | ≥15000/green | |
| 1289982/2016 | 8543709034 | #Gallium nitride (GaN) high-frequency amplifier consisting of one or more discrete transistors, one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing# | <15000/red | |
| 1233197/2015 | 8544200030 | #Antenna connecting cable for the transmission of radio (AM/FM) signal and whether or not GPS signal, containing:### # a coaxial cable, # two or more connectors, and # 3 or more plastic clips for attachment to the dashboard # ##of a kind used in the manufacture of goods of Chapter 87# | ≥15000/green | |
| 1268178/2016 | 8544300035 | #Wire harness:### # with an operation voltage of 12V, # wrapped in tape or covered in plastic convoluted tubing, # with 16 or more strands, with all terminals to be tin plated or equipped with connectors, # ##for use in the manufacture of all-terrain or utility task vehicles# | <15000/red | |

| | | | | |
|--------------|--|---|------------------------------------|----------------|
| 5524595/2016 | 8544429080 | #12-wire connecting cable containing two connectors### of a voltage of 5 V, # with a length of not more than 300 mm ###for use in the manufacture of goods of Chapter 87 # | <15000/red | |
| 631139/2010 | 8545909040 | #Corrosion resistant, layered technical fibre substrate of a gas diffuser layer with### controlled fibre length, flex strength, porosity, thermal conductance, electrical resistance, # a thickness of less than 600 µm, # a weight of less than 500 g/m ² # | <15000/red | |
| 3117/10/2004 | 8548909048 | #Optical unit, containing at least### a laser diode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm # an optical lens # a "Recording Photodetector Integrated Circuit" (PDIC) # a focussing and tracking actuator # ### # | ≥15000/green | |
| 5524180/2016 | 8708101010, 8708109010 | #Plastic cover for filling the space between the fog lights and the bumper whether or not with a chrome strip for use in the manufacture of goods of Chapter 87# | ≥15000/green | |
| 634869/2010 | 8708301050, 8708309110 | #Drum type parking brake:### operating within the service brake disk, # with a diameter of 170 mm or more but not more than 195 mm # ###for use in the manufacture of motor vehicles# | <15000/red | |
| 1272648/2016 | 8708402040, 8708405030 | #Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least:### one exterior-splined output shaft, # a rotary switch to indicate gear position, # the potential for a differential # ###for use in the manufacture of all-terrain or utility task vehicles# | <15000/red | |
| 1272733/2016 | 8708502040, 8708509930, 8708991070, 8708991090 | #Single input, dual output gearbox (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least:### two electro-magnetic one direction clutches in one cage, working in both directions, # an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, # a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth # ###for use in the manufacture of all-terrain or utility task vehicles# | <15000/red | |
| 5524137/2016 | 8708809910 | #Stabilizer bar for front axle equipped with a ball pivot on both ends for use in the manufacture of goods of Chapter 87# | <15000/red | |
| 1268272/2016 | 8708991010, 8708999010 | #Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (Continuously Variable Transmission) gear case:### # designed to be bolted onto a splined shaft of outer diameter 23 mm, # with an overall diameter of not more than 266 mm (± 1 mm), # comprised of 2 sheaves with tapered faces, # sheaves having taper of 13 degrees each, # having a main compression spring used to resist displacement between sheaves, and # comprised of a cam or spring to maintain proper belt tension # ###for use in the manufacture of all-terrain vehicles or utility task vehicles# | <15000/red | |
| 1268238/2016 | 8708991030, 8708999030 | #Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a continuously variable transmission (CVT), equipped with:### # elements that activate the clutch at given rotation and generate (in this way) centrifugal force, # shaft ended with 5 or more but not more than 6 degree taper, # 3 weights, and # 1 compression spring # ###for use in the manufacture of all-terrain or utility task vehicles# | <15000/red | |
| 1268308/2016 | 8708991010, 8708999760 | #Six-layer composite fuel tank assembly comprising of:### # a fuel inlet, # a pump flange assembly (PFA), # a ventilation with rollover valve mounted on the top of the tank, and # threaded holes for PFA assembly, # ###for use in the manufacture of all-terrain or utility task vehicles# | <15000/red | |
| 5524287/2016 | 8708991035, 8708999735 | #Holder of front radiator or intercooler whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87# | <15000/red | |
| 5524655/2016 | 8708991040, 8708999725 | #Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87# | <15000/red | |
| 1264754/2016 | 8714109050 | #Suspension damper tubes### # of 7050-T73 aluminium alloy, # anodised on the inner surface, # with a mean roughness (Ra) of the inner surface of not more than 0,4 and # a maximum roughness height (Rt) of the inner surface of not more than 4,0 # | <15000/red | |
| 1013674/2011 | 9001109030 | #Polymer optical fibre with:### # a poly(methyl methacrylate) core, # a cladding of fluorinated polymer, # a diameter of not more than 3,0 mm, and # a length of more than 150 m, # ###of a kind used in the manufacture of polymer fibre cables# | UK susp_ deletion or EU27 producer | BE, DE, FR, NL |
| 1349100/2016 | 9001109040, 9001900018 | #Fibre optic plates:### # uncoated and unpainted, # of a length of 30mm or more, but not more than 234.5mm, # of a width of 7mm or more, but not more than 28mm, and # of a height of 0.5mm or more, but not more than 3mm # ###of a kind used in dental x-ray systems### # | <15000/red | |
| 824923/2014 | 9001508030 | #Round organic uncut, semi-finished eyeglass lens with corrective effect, finished on one side, of a kind used for the manufacture of finished eyeglass lenses# | ≥15000/green | |
| 1452940/2016 | 9002110025 | #Infrared optical unit composed of### # a monocrystalline silicon lens with a diameter of 84 mm (± 0,1 mm) and # a monocrystalline germanium lens with a diameter of 62 mm (± 0,05 mm) # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras### # | <15000/red | |
| 1453621/2016 | 9002110035 | #Infrared optical unit composed of### # a silicon lens with a diameter of 29 mm (± 0,05 mm) and # a monocrystalline calcium fluoride lens with a diameter of 26 mm (± 0,05 mm), # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras### # | <15000/red | |
| 1453077/2016 | 9002110045 | #Infrared optical unit ### # with lenses of silicon, germanium or chalcogenide glass of a diameter not more than 62 mm (± 0,05 mm), # whether or not mounted on a machined aluminium alloy support # ###of a kind used for thermal cameras or IP network cameras# | ≥15000/green | |
| 1453232/2016 | 9002110055 | #Infrared optical unit composed of### # a germanium lens with a diameter of 11 mm (± 0,05 mm), # a monocrystalline calcium fluoride lens with a diameter of 14 mm (± 0,05 mm), and # a silicon lens with a diameter of 17 mm (± 0,05 mm), # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras### # | <15000/red | |
| 1453419/2016 | 9002110065 | #Infrared optical unit### # with a silicon lens with a diameter of 26 mm (± 0,1 mm), # mounted on a machined aluminium alloy support, # ###of a kind used for thermal imaging cameras# | <15000/red | |
| 1453564/2016 | 9002110075 | #Infrared optical unit composed of### # a germanium lens with a diameter of 19 mm (± 0,05 mm), # a monocrystalline calcium fluoride lens with a diameter of 18 mm (± 0,05 mm), # a germanium lens with a diameter of 20,6 mm (± 0,05 mm), # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras### # | <15000/red | |
| 1264795/2016 | 9032890050 | #Gas panel for regulating and controlling of the gas flow rate, working with plasma technology, comprising### # an electronic mass flow regulator, suitable for receiving and sending of analogue and digital signals # four pressure transducers, # two or more pressure valves, # electric interfaces and # several connectors for gas lines # suitable for in-situ plasma bonding processes or for multi frequency bond activating processes # ### # | ≥15000/green | |

Disclaimer

This report was created using Surveillance data. However, Surveillance data are created on the basis of declarations that may be modified, corrected or deleted. Therefore, we cannot guarantee that information provided is free of errors or that it will not be amended. The European Commission accepts no responsibility with regard to such problems incurred as a result of using these data.